ELSEVIER

General Subjects

Vol. 1335, 1997

BIOCHIMICA ET BIOPHYSICA ACTA
BBA

# Cumulative Contents

*Information for Contributors* vii

## *Rapid report*

A sensitive method for the estimation of the cytoplasmic osmolality of cyanobacterial cells using chlorophyll *a* fluorescence
*G.C. Papageorgiou and A. Alygizaki-Zorba (Greece)* 1

## *Regular papers*

Distribution of active α- and β-subunits of β-*N*-acetylhexosaminidase as a function of leukaemic cell types
*S. Martino, C. Emiliani, A. Tabilio, F. Falzetti, J.L. Stirling and A. Orlacchio (Italy, UK)* 5

Recycling of α-D-ribose 1-phosphate for nucleoside interconversion
*F. Giorgelli, C. Bottai, L. Mascia, C. Scolozzi, M. Camici and P.L. Ipata (Italy)* 16

Occurrence of a sialylglycopeptide and free sialylglycans in hen's egg yolk
*A. Seko, M. Koketsu, M. Nishizono, Y. Enoki, H.R. Ibrahim, L.R. Juneja, M. Kim and T. Yamamoto (Japan)* 23

Iron bound to ferritin catalyzes ascorbate oxidation: effects of chelating agents
*V.A. Roginsky, T.K. Barsukova, G. Bruchelt and H.B. Stegmann (Russia, Germany)* 33

Trehalose accumulation in mutants of *Saccharomyces cerevisiae* deleted in the UDPG-dependent trehalose synthase-phosphatase complex
*J.C. Ferreira, J.M. Thevelein, S. Hohmann, V.M.F. Paschoalin, L.C. Trugo and A.D. Panek (Brazil, Belgium)* 40

Changes in metabolism of inorganic polyphosphate in rat tissues and human cells during development and apoptosis
*B. Lorenz, J. Münkner, M.P. Oliveira, A. Kuusksalu, J.M. Leitão, W.E.G. Müller and H.C. Schröder (Germany, Portugal, Estonia)* 51

Effect of L-fucose and D-glucose concentration on L-fucoprotein metabolism in human Hep G2 cells and changes in fucosyltransferase and α-L-fucosidase activity in liver of diabetic rats
*T.J. Wiese, J.A. Dunlap and M.A. Yorek (USA)* 61

The structure of streptonigrin semiquinone in solution
*H. Soedjak, J. Hajdu, J.D. Raffetto, R. Cano, B.L. Bales, L.S. Prasad and L.D. Kispert (USA)* 73

Augmented inhibitory effect of superoxide dismutase on superoxide anion release from macrophages by direct cationization
*T. Takagi, M. Kitano, S. Masuda, H. Tokuda, Y. Takakura and M. Hashida (Japan)* 91

Human liver fatty aldehyde dehydrogenase: microsomal localization, purification, and biochemical characterization
*T.L. Kelson, J.R. Secor McVoy and W.B. Rizzo (USA)* 99

Intestinal transport and metabolism of analgesic dipeptide, kyotorphin: rate-limiting factor in intestinal absorption of peptide as drug
*T. Mizuma, A. Koyanagi and S. Awazu (Japan)* 111

Adiabatic compressibility of flagellin and flagellar filament of *Salmonella typhimurium*
*Y. Tamura, K. Gekko, K. Yoshioka, F. Vonderviszt and K. Namba (Japan)* 120

A kinetic study of the one-electron oxidation of Trolox C by the hydroperoxidase activity of lipoxygenase
*E. Núñez Delicado, A. Sánchez Ferrer and F. García Carmona (Spain)* 127

Glucose transport in immortalized rat brain capillary endothelial cells in vitro: transport activity and GLUT1 expression
*A. Regina, F. Roux and P.A. Revest (France, UK)* 135

4-Amidinoindan-1-one 2'-amidinohydrazone (CGP 48664A) exerts in vitro growth inhibitory effects that are not only related to *S*-adenosylmethionine decarboxylase (SAMdc) inhibition
*B. Dorhout, M.F.G. Odink, E. De Hoog, A.W. Kingma, E. Van der Veer and F.A.J. Muskiet (The Netherlands)* 144

Studies comparing the kinetics of cysteine conjugation and protein binding of acetaminophen by hepatic microsomes from male mice
*L.X. Zhou, R.R. Erickson and J.L. Holtzman (USA)* 153
Urinary excretion of sulfated polysaccharides administered to Wistar rats suggests a renal permselectivity to these polymers based on molecular size
*M.A.M. Guimarães and P.A.S. Mourão (Brazil)* 161
D-Amino-acid oxidase is not present in the mouse liver
*R. Konno, M. Sasaki, S. Asakura, K. Fukui, J. Enami and A. Niwa (Japan)* 173
Endothelial nitric oxide synthase is downregulated during hyperdynamic sepsis
*M. Zhou, P. Wang and I.H. Chaudry (USA)* 182
Novel polypeptide toxins with crab lethality from the sea anemone *Anemonia erythraea*
*K. Shiomi, W.-H. Qian, X.-Y. Lin, K. Shimakura, Y. Nagashima and M. Ishida (Japan)* 191
Lipid structure of cytotoxic granules in living human killer T lymphocytes studied by Raman microspectroscopy
*Y. Takai, T. Masuko and H. Takeuchi (Japan)* 199
Collagen-induced secretion-dependent phase of platelet aggregation is inhibited by the snake venom metalloproteinase jararhagin
*A.S. Kamiguti, A.M. Moura-da-Silva, G.D. Laing, T. Knapp, M. Zuzel, J.M. Crampton and R.D.G. Theakston (UK, Brazil)* 209
The signal recognition particle receptor $\alpha$ subunit of the hyperthermophilic archaeon *Acidianus ambivalens* exhibits an intrinsic GTP-hydrolyzing activity
*R. Moll, S. Schmidtke, A. Petersen and G. Schäfer (Germany)* 218

*Information for Contributors* *vii*

## *Rapid reports*

Characterization of the in vitro synthesized arabinan of mycobacterial cell walls
*Y. Xin, R.E. Lee, M.S. Scherman, K.-H. Khoo, G.S. Besra, P.J. Brennan and M. McNeil (USA)* 231
Heterologous *Kluyveromyces lactis* $\beta$-galactosidase production and release by *Saccharomyces cerevisiae* osmotic-remedial thermosensitive autolytic mutants
*M. Becerra, E. Cerdán and M.I. González Siso (Spain)* 235

## *Short sequence-paper*

The origin of an EPR signal observed in dithiocarbamate-loaded tissues. Copper(II)-dithiocarbamate complexes account for the narrow hyperfine lines
*Y. Suzuki, S. Fujii, T. Tominaga, T. Yoshimoto, T. Yoshimura and H. Kamada (Japan)* 242

## *Regular papers*

2-Deoxyecdysone is a circulating ecdysteroid in the beetle *Zophobas atratus*
*N. Aribi, N. Pitoizet, A. Quennedey and J.P. Delbecque (France)* 246
Optical and electron paramagnetic resonance absorption spectra of complexes of nitric oxide synthase I with isocyanides
*H. Yoneyama, H. Hori and Y. Ichikawa (Japan)* 253
Effect of glycosylation on the stability of $\alpha_1$-antitrypsin toward urea denaturation and thermal deactivation
*K.-S. Kwon and M.-H. Yu (South Korea)* 265
Possible role of isoaspartyl methyltransferase towards regulation of acid trehalase activity in *Saccharomyces cerevisiae*
*N. Biswas and A.K. Ghosh (India)* 273
Effects of magnesium and temperature on the conformation and reassociation of *Escherichia coli* and *Sulfolobus solfataricus* ribosomes
*F. Pedone, A. Bonincontro, G. Briganti, A. Giansanti, P. Londei, G. Risuleo and M. Mengoni (Italy)* 283
In vivo assessment of metabolic perturbations following alanine and glucagon administration using $^{31}$P-MRS in the rat
*K.K. Changani, M.L. Barnard, J.D. Bell, E.L. Thomas, S.C.R. Williams, S.R. Bloom and R.A. Iles (UK)* 290
Preparation and ESR spectroscopic characterization of the zinc(II) and cadmium(II) complexes of streptonigrin semiquinone
*H.S. Soedjak, R.E. Cano, L. Tran, B.L. Bales and J. Hajdu (USA)* 305
Temperature-induced phase partitioning of peptides in water solutions of ethylene oxide and propylene oxide random copolymers
*H.-O. Johansson, G. Karlström and F. Tjerneld (Sweden)* 315
Enzymic synthesis of 3′-*O*- and 6′-*O*-*N*-acetylglucosaminyl-*N*-acetyllactosaminide glycosides cat-

alyzed by β-*N*-acetyl-D-hexosaminidase from *Nocardia orientalis*
*T. Murata, A. Tashiro, T. Itoh and T. Usui (Japan)* 326

Antioxidant activity of polyphenolics in diets. Rate constants of reactions of chlorogenic acid and caffeic acid with reactive species of oxygen and nitrogen
*Y. Kono, K. Kobayashi, S. Tagawa, K. Adachi, A. Ueda, Y. Sawa and H. Shibata (Japan)* 335

Phenylenediamine induced hepatocyte cytotoxicity redox. Cycling mediated oxidative stress without oxygen activation
*C. Sood, S. Khan and P.J. O'Brien (Canada)* 343

Localization of renal Cu-binding metallothionein induced by Au injection into rats
*S. Saito, M. Okabe and M. Kurasaki (Japan)* 353

Cumulative contents, Vol. 1335 359

Author index 362